

VELP Scientifica Solutions for Heating & Stirring - ARE/AREX Series



ARE



AREX



**AREX
with VTF - Package**



**AREX
with VTF EVO - Package**



**AREX DIGITAL PRO
with Probe - Package**



**AREX DIGITAL PRO
with VTF - Package**



**AREX DIGITAL PRO
with Probe, Rod and Clamp -
Package**

Construction material		Epoxy painted aluminum structure					
Heating plate		Aluminum alloy	CerAlTop™	CerAlTop™	CerAlTop™	CerAlTop™	CerAlTop™
Heating plate dimensions	mm	∅ 135	∅ 135	∅ 135	∅ 135	∅ 135	∅ 135
	(in)	∅ 6.1	∅ 6.1	∅ 6.1	∅ 6.1	∅ 6.1	∅ 6.1
Stirring speed rpm		up to 1500					
SpeedServo™ Counter-reaction		•	•	•	•	•	•
Stirring volume L		up to 15	up to 20				
Temperature regulation °C		Room Temp. to 370					
Overtemperature protection		•	•	•	•	•	•
Probe (Pt100) connection					• (Pt100 included)	•	• (Pt100 included)
Vertex connection			• (VTF included)	• (VTF EVO included)		• (VTF included)	
Digital display					•	•	•
Dimensions (WxHxD)	mm	165x115x280	165x115x280	165x630x280 *	165x630x280 *	165x115x280	165x630x280 *
	(in)	(6.5x4.5x11.0)	(6.5x4.5x11.0)	(6.5x24.8x11.0)	(6.5x24.8x11.0)	(6.5x4.5x11.0)	(6.5x24.8x11.0)
Weight	Kg	2.6	2.6	2.7	2.7	2.6	2.7
	(lb)	(5.7)	(5.7)	(5.9)	(5.9)	(5.7)	(5.9)
Power Supply		115 or 230 V					
Power		630 W					

* support rod (A00001069) included * support rod (A00001069) included

* support rod (A00001069) included * support rod (A00001069) included



www.velp.com